

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	((download) adj (from) adj (pda)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 16:07
L3	0	((remote\$2) adj (access\$3) adj (pda)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 16:08
L4	0	((remote\$2) adj (access\$3) adj (pda)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 16:08
L5	396	((download\$3 access\$3) adj (pda)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 16:09
L6	196	((download\$3) adj (pda)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 16:09
L7	81	pda.ab. and ((download\$3) adj (pda)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 16:25
L8	292	((pda) adj2 (dock\$3 station)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 16:26
L9	94	(server network).ab. AND ((pda) adj2 (dock\$3 station)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 16:28

## EAST Search History

L10	65	((pda) adj2 (dock\$3 station)) WITH (server NAS network) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 16:29
-----	----	---	---	----	----	------------------

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	145548	(storage memory) WITH (mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:55
S2	3602408	(storage memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:55
S3	98544	(storage memory) WITH (server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:56
S4	1116	(storage memory) WITH (server) WITH (mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:10
S5	197	((storage memory) WITH (server)) AND 710/8,14,38.CCLS. AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:27
S6	218	(buffalo).as. AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:29
S7	0	("buffalo technology" "buffalo tech").as. AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 18:08
S8	0	("buffalo technology" "buffalo tech" "buffalotech").as. AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:33

## EAST Search History

S9	0	("buffalo technology" "buffalo tech" "buffalotech").as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:17
S10	778	(melco).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:20
S11	665	(melco).as. AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:20
S12	87	(melco).as. AND (storage memory) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:35
S13	389396	(network) AND (storage memory) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:28
S14	31491	((network) near2 (storage memory)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:28
S15	49	((multi multiple) near2 (function mode functionality interface)) WITH ((network) near2 (storage memory)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:41
S16	23	(melco).as. AND (storage memory) AND (@ad>"20030212" @rlad>"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:35

## EAST Search History

S17	1951021	(storage memory).ab. AND ((network) near2 (storage memory)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:42
S18	14544	(storage memory).ab. AND ((network) near2 (storage memory)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:42
S19	8935	(storage memory).ab. AND ((network) adj2 (storage memory)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:43
S20	3167	(storage memory).ab. AND ((network) adj2 (storage memory)) AND ((connect disconnect) AND (storage memory)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:45
S21	3360	(storage memory).ab. AND ((network) adj2 (storage memory)) AND ((connect disconnect attach) AND (storage memory)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:45
S22	900	(storage memory).ab. AND ((network) adj2 (storage memory)) AND ((connect disconnect attach) near3 (storage memory)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:46
S23	685	(storage memory).ab. AND ((network) adj2 (storage memory)) AND ((connect disconnect attach) near2 (storage memory)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:46
S24	229	(storage memory).ab. AND ((network) adj2 (storage memory)) SAME ((connect disconnect attach) near2 (storage memory)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:48

## EAST Search History

S25	1719	(storage memory).ab. AND ((network) adj2 (storage memory)) SAME ((connect\$3 disconnect\$3 attach\$3 detach\$) near2 (storage memory)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:49
S26	1395	(storage memory).ab. AND ((network) adj2 (storage)) SAME ((connect\$3 disconnect\$3 attach\$3 detach\$) near2 (storage)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:49
S27	1307	(storage memory).ab. AND ((network) adj2 (storage)) WITH ((connect\$3 disconnect\$3 attach\$3 detach\$) near2 (storage)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:49
S28	1307	(storage memory).ab. AND (((network) adj2 (storage)) WITH ((connect\$3 disconnect\$3 attach\$3 detach\$) near2 (storage))) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:50
S29	1201	(storage).ab. AND (((network) adj2 (storage)) WITH ((connect\$3 disconnect\$3 attach\$3 detach\$) near2 (storage))) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:50
S30	738	(network).ab. AND (storage).ab. AND (((network) adj2 (storage)) WITH ((connect\$3 disconnect\$3 attach\$3 detach\$) near2 (storage))) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:52
S31	379	(network).ab. AND (storage).ab. AND (((network) adj2 (storage)) WITH ((connect\$3 disconnect\$3) near2 (storage))) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:53
S32	0	(network).ab. AND (storage).ab. AND (((network) adj2 (storage)) WITH ((attach\$3 detach\$3) near2 (storage))) AND (@ad<"20030212" @rlad<"20030212") AND (NOT S30)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:52

## EAST Search History

S33	357	(network).ab. AND (storage).ab. AND (((network) adj2 (storage)) WITH ((attach\$3 detach\$3) near2 (storage))) AND (@ad<"20030212" @rlad<"20030212") AND (NOT S31)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:54
S34	96	(network).ab. AND (storage).ab. AND (((network) adj2 (storage)) WITH ((connect\$3 disconnect\$3) near2 (storage))) SAME (function\$3 operation operating mode)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:57
S35	107	(network).ab. AND (storage).ab. AND (((network) adj2 (storage)) WITH ((attach\$3 detach\$3) near2 (storage))) SAME (function\$3 operation operating mode)) AND (@ad<"20030212" @rlad<"20030212") AND (NOT S31)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:54
S36	103	(network).ab. AND (storage).ab. AND (((network) adj2 (storage)) WITH ((connect\$3 disconnect\$3) near2 (storage))) SAME (function\$3 operation operating operate mode)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:11
S37	1	(network).ab. AND (storage).ab. AND (((network) adj2 (storage)) WITH ((connect\$3 attach\$3) near2 (storage))) AND (((network) adj2 (storage)) WITH ((disconnect\$3 deattach\$3) near2 (storage))) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:12
S38	1	(storage).ab. AND (((network) adj2 (storage)) WITH ((connect\$3 attach\$3) near2 (storage))) AND (((network) adj2 (storage)) WITH ((disconnect\$3 deattach\$3) near2 (storage))) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:12
S39	1	(((network) adj2 (storage)) WITH ((connect\$3 attach\$3) near2 (storage))) AND (((network) adj2 (storage)) WITH ((disconnect\$3 deattach\$3) near2 (storage))) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:36

## EAST Search History

S40	19	((network) adj2 (storage memory)) WITH ((connect\$3 attach\$3) near2 (storage))) AND ((storage memory) WITH ((disconnect\$3 deattach\$3) near2 (storage))) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:13
S41	48	((network) WITH (storage memory)) WITH ((connect\$3 attach\$3) near2 (storage))) AND ((storage memory) WITH ((disconnect\$3 deattach\$3) near2 (storage))) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:14
S42	840	((connect\$3 attach\$3) near2 (storage)) AND ((disconnect\$3 deattach\$3) near2 (storage)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:15
S43	410	((connect\$3 attach\$3) near2 (storage)) SAME ((disconnect\$3 deattach\$3) near2 (storage)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:16
S44	37	((connect\$3 attach\$3) near2 (storage)) SAME ((disconnect\$3 deattach\$3) near2 (storage)) SAME (network server) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:16
S45	37	((connect\$3 attach\$3) near2 (storage)) SAME ((disconnect\$3 deattach\$3) near2 (storage)) SAME (network server) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:36
S46	8998	((connect\$3 attach\$3) near2 (storage)) SAME (network server) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:37
S47	90	((connect\$3 attach\$3) near2 (storage)) SAME (network server) AND ((disconnect\$3 deattach\$3) near2 (storage)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:42



## EAST Search History

S48	153	((((connect\$3 attach\$3) near2 (storage)) SAME (network server)) AND ((disconnect\$3 deattach\$3) near2 (storage))) OR (((connect\$3 attach\$3) near2 (storage)) AND ((network server) SAME ((disconnect\$3 deattach\$3) near2 (storage)))) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:41
S49	92	((((connect\$3 attach\$3) near2 (storage)) SAME (network server)) AND ((disconnect\$3 deattach\$3) near2 (storage))) OR (((connect\$3 attach\$3) near2 (storage)) AND ((network server) SAME ((disconnect\$3 deattach\$3) near2 (storage)))) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:42
S50	2	((((connect\$3 attach\$3) near2 (storage)) SAME (network server)) AND ((disconnect\$3 deattach\$3) near2 (storage))) OR (((connect\$3 attach\$3) near2 (storage)) AND ((network server) SAME ((disconnect\$3 deattach\$3) near2 (storage)))) AND (@ad<"20030212" @rlad<"20030212") AND (NOT S47)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 16:02
S51	36	((dual) near2 (mode) near2 (storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 16:29
S52	28	((dual) near2 (mode) near2 (storage)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 16:35
S53	86	((multi multiple) near2 (mode) near2 (storage)) AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 16:42

## EAST Search History

S54	67891	(NAS "network attached storage"). ab. AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 16:43
S55	23792957	(NAS "network attached storage"). ab. AND "710"/\$.ccls. (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 16:43
S56	6	(NAS "network attached storage"). ab. AND "710"/\$.ccls. AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 16:47
S57	275	(NAS "network attached storage") AND "710"/\$.ccls. AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 16:47
S58	269	(NAS "network attached storage") AND "710"/\$.ccls. AND (@ad<"20030212" @rlad<"20030212") AND (NOT S56)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:11
S59	54	(disconnect\$4 detach\$4) near2 (NAS "network attached storage" "file server") AND (@ad<"20030212" @rlad<"20030212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 17:13